

Work Order ID 98329

98329

Page 1

March-12-13 1:47:19 PM

Item ID: D6103-003

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Round Billet, Aluminum

Start Date: 3/11/13 Start Qty: 16.00

16

Cust Item ID:

Required Date: 3/29/13 Req'd Qty: 16.00

16

Customer:

Reference:

Run Start *NR1*

Approvals: Process Plan: MLS Date: 13-03-14

Tooling:

Date:

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____

Date:

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D6103

Rev B

100

0.00

100

Purchasing

PURCHASING

Memo

0.00

Purchasing

Issue P/O: 19369 a) Description: Alluminum round billet b)
Ø3.500" x 12.500" long c) Tolerance on all dimensions are +0.030"/-0.000"

d) Material: 7075-T7351 (QQ-A-225/9) Material certification required

CL 13/03/19 (16)

110

Receive & Inspect for Damage & Mat'l Certs

0.00

110

Packaging

Memo

0.00

Packaging

Ensure material certification is attached

13/4/4 (16)

120

QC6- Inspect dimensions to drawing

0.00

120

QC

Memo

0.00

Quality Control

CL 13/04/0416

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION <div style="display: flex; justify-content: space-around;"> <div style="text-align: right;"> Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/> </div> <div style="text-align: right;"> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div style="text-align: right;"> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div style="text-align: right;"> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div style="text-align: right;"> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>								
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector			
Doc/Data												
Equip/Tooling												
Operator												
Material												
Setup												
Other												
Process												
Supplier												
Training												
Unapproved												
FAULT CATEGORY												
Landing Gear			General									
<input type="checkbox"/>	Bending	<input type="checkbox"/>	Bend	<input type="checkbox"/>	Grain	<input type="checkbox"/>	Ovalized	<input type="checkbox"/>	Pressure/Forced			
<input type="checkbox"/>	Centre Not Concentric to O/S	<input type="checkbox"/>	BOM/Route	<input type="checkbox"/>	Hardware	<input type="checkbox"/>	Over/Under tolerance	<input type="checkbox"/>	Temperature/Cure			
<input type="checkbox"/>	Cracks.	<input type="checkbox"/>	Broken/Damaged	<input type="checkbox"/>	Inspection Incomplete	<input type="checkbox"/>	Part Incorrect	<input type="checkbox"/>	Weld			
<input type="checkbox"/>	Crushed/Crimped.	<input type="checkbox"/>	Burrs	<input type="checkbox"/>	Instructions Incomplete/Unclear	<input type="checkbox"/>	Part Lost/Missing	<input type="checkbox"/>	Wrong Stock Pulled			
<input type="checkbox"/>	Cuffs	<input type="checkbox"/>	Contamination	<input type="checkbox"/>	Maintenance	<input type="checkbox"/>	Part Moved	<input type="checkbox"/>				
<input type="checkbox"/>	Heat Treat	<input type="checkbox"/>	Countersink	<input type="checkbox"/>	Mislabeled	<input type="checkbox"/>	Positioned Wrong	<input type="checkbox"/>	Other			
<input type="checkbox"/>	Inspection Strip in Tube	<input type="checkbox"/>	Cut Too Short	<input type="checkbox"/>	Misread	<input type="checkbox"/>	Power Loss/Surge					
<input type="checkbox"/>	Ripples in Bend	<input type="checkbox"/>	Drill Holes	<input type="checkbox"/>	Offset							
<input type="checkbox"/>	Torque Waves in Extrusion	<input type="checkbox"/>	Drawing	<input type="checkbox"/>	Out of Calibration							
<input type="checkbox"/>	Turning Sequence	<input type="checkbox"/>	Finish	<input type="checkbox"/>	Out of Sequence							
<input type="checkbox"/>	Wave/Twist in Tube	<input type="checkbox"/>	Folio	<input type="checkbox"/>	Outside Dimensions							

Work Order ID 98329

98329

Page 2

March-12-13 1:47:19 PM

Item ID: D6103-003 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Round Billet, Aluminum

Start Date: 3/11/13 Start Qty: 16.00 *16* Cust Item ID:
 Required Date: 3/29/13 Req'd Qty: 16.00 *16* Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: MAT 43	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

13/4/8 J
 13-04-4

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION <div style="display: flex; justify-content: space-around;"> <div> <input type="checkbox"/> Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update </div> <div> <input type="checkbox"/> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab </div> <div> <input type="checkbox"/> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite </div> <div> <input type="checkbox"/> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier </div> <div> <input type="checkbox"/> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other </div> </div>	
--	--	--

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY


Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other
---	---	---	--	---



DESIGN PH	DRAWN BY PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D6103	Rev. B SHEET 1 OF 1
DATE 06.01.31		TITLE ROUND BILLET, ALUMINUM	SCALE NTS
A	01.04.10	NEW ISSUE	
B	06.01.31	ADD D6103-003	

SPECIFICATION CONTROL DRAWING

RELEASED
06.02.07 [Signature]



SHOP FOR
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITH ALL RIGHTS
RESERVED
NO. 98329 MJS
13-03-14

PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, DIAMETER x LENGTH (+0.030/-0.000) AS SHOWN.

TOLERANCE ON ALL DIMENSIONS IS +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

Part No.	Alloy	D (Diameter)	Length
D6103-001	7075-T6/T651 (QQ-A-200/11 OR QQ-A-225/9)	Ø3.250	12.50
D6103-003	7075-T7351 (QQ-A-225/9)	Ø3.500	12.50

Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**Castle Metals®**

A. M. Castle & Co.

**PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

COPIE

Page 1 of 1

Pack Slip No:1339557

Ship From: A. M. Castle & Co. Chicago 3400 North Wolf Road Franklin Park, IL 60131		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 25-MAR-2013	F.O.B. ORIGIN	Freight Terms Prepaid		Carrier CASTLE_NETWORK K	BOL No 1346565	Delivery No 118517648	

Shipment Details	Final Destination Branch -
-------------------------	-----------------------------------


Order No 2763600	Line No 3	Item No 8808.MO	Description 3.5000..RD.7075.T7351.ALUMINUM.CF.144.0000 CUT TO 12.5 IN (+ .1250/- .0000 IN) - BAND SAW CUTTING SPECIFICATIONS: QQ-A-225/9				
Purchase Order No 369		Part Number YOUR ITEM NUMBER: D6103-003		Ordered Qty 6.00 PCS		Invoice Qty 6.00 PCS	
Details							
Mill KAISER ALUMINUM	Heat Number 20164284	Mech ID	PCS 6	Width (IN)	Length (IN)	Shipped Qty (LBS) 72.7522	

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.			
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.			
Reviewed by Authorized Castle Metals Representative:		Date:	Name:

amf 13/04/04

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Miscellaneous Notes

Made in USA

This material was melted and manufactured in the USA. Mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds were utilized by Kaiser Aluminum in the manufacture of this material. AS9100C:2009 The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

This material meets the requirements of (cold finished) T73 temper and QQ-A-225/9E (CANCELLED). NAFTA - YES. Material complies with FAR BAA (FAR 52.225-1, Buy American Act-Supplies), DFARS BAA (DFARS 252.225-7001 Buy American Act & Bal of Payments Prog), and FAR TAA (FAR 52.225-5 Trade Agreements). No weld repair. Material is RoHS compliant.

Castle Metals FP
HEAT NUMBER 20164284
MECHANICAL ID _____
ITEM CODE 8808
LOT NUMBER _____
PO NUMBER 194281
RECEIPT DATE 1-8-13
SUPPLIER KAISER
S. INFORMATION _____
LCS AD
COMMENT _____
APPROVED BT

OK 13/04/04

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

John Rennekamp


Plant Serial: 181977

Kaiser Order Number: 683993

Line Item: 1

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: 194281-1		CUSTOMER PART NUMBER: 8808		PRODUCT DESCRIPTION: Cold Finished Round	
KAISER ORDER NUMBER: 683993	LINE ITEM: 1	SHIP DATE: 01/06/2013	ALLOY: 7075	TEMPER: T7351	
WEIGHT SHIPPED: 1964 lbs.	QUANTITY: 14 pcs.	B/L NUMBER: 34825	DIAM/DAF/THKNS: 3.500 in.	WIDTH: 0.000 in.	LENGTH: 144.0 in.
SHIP TO: A M Castle & Co AM Castle & Co. 3400 No. Wolf Road Franklin Park, IL 60131 USA			SOLD TO: A M Castle & Co 1420 Kensington Road Suite 220 Oak Brook, IL 60523 USA		

Test Code: 1000 AC

Actual Physical Properties

Lot Number	LONG. UTS ksi	LONG. YTS ksi	LONG. ELONG. %	COND % IACS
20164284	70.5	58.5	14.0	39.5

Chemical Composition, WT. % (Aluminum Remainder)

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
Actual	0.09	0.30	1.4	0.05	2.8	0.19	6.1	0.03			20164284
Max	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.15	
Min			1.2		2.1	0.18	5.1				

Specifications

Standard: ISO 9001, ASTM B211-12, AMS 4124E, AMS-QQ-A-225/9 Non-Standard: A97075-11-R13

13/04/04
OK

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

John Rennekamp

Plant Serial: 181977

Kaiser Order Number: 683993

Line Item: 1

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/

CERTIFICATE OF CONFORMANCE

Page 1 of 1

Pack Slip No:1339555

Ship From: A. M. Castle & Co. Chicago 3400 North Wolf Road Franklin Park, IL 60131		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 25-MAR-2013	F.O.B. ORIGIN	Freight Terms Prepaid		Carrier CASTLE_NETWORK K	BOL No 1346563	Delivery No 118519144	

Shipment Details				Final Destination Branch -			
Order No 2763600	Line No 2	Item No 8808.MO	Description 3.5000..RD.7075.T7351.ALUMINUM.CF.144.0000 CUT TO 12.5 IN (+ .1250/- .0000 IN) - BAND SAW CUTTING SPECIFICATIONS: QQ-A-225/9				
Purchase Order No 19369		Part Number YOUR ITEM NUMBER: D6103-003		Ordered Qty 10.00 PCS		Invoice Qty 10.00 PCS	
Details							
Mill KAISER ALUMINUM	Heat Number 20167801	Mech ID	PCS 10	Width (IN)	Length (IN)	Shipped Qty (LBS) 121.2537	

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:


Date:

Name:

OK 13/04/04

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Miscellaneous Notes

Made in USA

This material was melted and manufactured in the USA. Mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds were utilized by Kaiser Aluminum in the manufacture of this material. AS9100C:2009 The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

This material meets the requirements of (cold finished) T73 temper and QQ-A-225/9E (CANCELLED). NAFTA - YES. Material complies with FAR BAA (FAR 52.225-1, Buy American Act-Supplies), DFARS BAA (DFARS 252.225-7001 Buy American Act & Bal of Payments Prog), and FAR TAA (FAR 52.225-5 Trade Agreements). No weld repair. Material is RoHS compliant.

Castle Metals FP
HEAT NUMBER 20167801
MECHANICAL ID _____
ITEM CODE 8808
LOT NUMBER _____
PO NUMBER 216214
PURCHASE DATE 2-26-13
SUPPLIER KAISER
SPECIFICATION _____
LCS NO
COMMENT _____
APPROVED DL

13/04/04
OK

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

John Rennekamp


Plant Serial: 184536

Kaiser Order Number: 686613

Line Item: 1

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT
<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: 210214-1		CUSTOMER PART NUMBER: 8808		PRODUCT DESCRIPTION: Cold Finished Round	
KAISER ORDER NUMBER: 686613	LINE ITEM: 1	SHIP DATE: 02/25/2013	ALLOY: 7075	TEMPER: T7351	
WEIGHT SHIPPED: 1967 lbs.	QUANTITY: 14 pcs.	B/L NUMBER: 35058	DIAM/DAF/THKNS: 3.500 in.	WIDTH: 0.000 in.	LENGTH: 144.0 in.
SHIP TO: A M Castle & Co AM Castle & Co. 3400 No. Wolf Road Franklin Park, IL 60131 USA			SOLD TO: A M Castle & Co 1420 Kensington Road Suite 220 Oak Brook, IL 60523 USA		

Test Code: 1000 AC

Actual Physical Properties

Lot Number	LONG. UTS ksi	LONG. YTS ksi	LONG. ELONG. %	COND % IACS
20167801	68.7	57.2	16.0	40.5

Chemical Composition, WT. % (Aluminum Remainder)

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
Actual	0.10	0.25	1.4	0.03	2.8	0.19	6.0	0.03			20167801
Max	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.15	
Min			1.2		2.1	0.18	5.1				

Specifications

Standard: ISO 9001, ASTM B211-12, AMS 4124E, AMS-QQ-A-225/9 Non-Standard: A97075-11-R13

12/04/09
CR

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

John Rennekamp

Plant Serial: 184536

Kaiser Order Number: 686613

Line Item: 1